Free Download Of Lead2pass Latest Microsoft 70-980 VCE And PDF Dumps(41-50)

At Lead2pass, we are positive that our Microsoft 70-980 preparation material with questions and answers pdf provide most in-depth solutions for individuals that are preparing for the Microsoft 70-980 exam. Our uodated 70-980 brain dumps will allow you the opportunity to know exactly what to expect on the exam day and ensure that you can pass the exam beyond any doubt.

QUESTION 41

Hotspot Question

You are planning the certificates for Northwind Traders.

You need to identify the certificate configurations required for App1.

How should you configure the certificate request? To answer, select the appropriate options in the answer area.



Answer:



OUESTION 42

You need to implement a solution for DNS replication.

Which cmdlets should you run?

- A. Set-DnsServer and Invoke-DnsServerZoneSign
- B. ConvertTo-DnsServerPrimaryZone and Register-DnsServerDirectoryPartition
- C. UnRegister-DnsServerDirectoryPartition and Add-DnsServerForwarder

D. Set-DnsServerDnsSecZoneSetting and Invoke-DnsServerZoneSign

Answer: C

QUESTION 43

Hotspot Question

You need to recommend a solution for communicating to Windows Azure services.

What should you recommend? To answer, select the appropriate options in the answer area.



Answer:

Answer Area	
Protocol to use on Server4:	IKEV2 PPOE PPTP CSTPd2pass.com
Object to create on Server4:	A site-to-site interface A route to a VPN connection
	A custom route to the BGP routing table An entry point to a multi-site deployment

QUESTION 44

Hotspot Question

On Server2, you create a Run As Account named Account1.

Account1 is associated to an Active Directory account named VMMIPAM.

You need to implement an IPAM solution.

What should you do? To answer, select the appropriate configuration for each server in the answer area.



Answer:

Allatter Al	rea
Server2:	V
	Create a service.
	Create a user role.
	Add a network service. Create a logical network
	Add an infrastructure server
	WWW.leadzpass.com
	Add an infrastructure server. WWW.leard2parss.com
Server3:	www.lead2pass.com
Server3:	Add VMMIPAM to IPAM Administrators.
Server3:	Add VMMIPAM to IPAM Administrators. Add VMMIPAM to IPAM MSM Administrators.
Server3:	Add VMMIPAM to IPAM Administrators.

QUESTION 45

Your company has a main office.

The main office is located in a building that has 10 floors.

A datacenter on the ground floor contains a Windows Server 2012 failover cluster.

The failover cluster contains a DHCP server resource named DHCP1.

All client computers receive their IP addresses from DHCP1.

All client computers are part of the 131.107.0.0/16 IPv4 subnet.

You plan to implement changes to the network subnets to include a separate subnet for each floor of the office building. The subnets will connect by using routers.

You need to recommend changes to the DHCP infrastructure to ensure that all of the client computers can receive their IP configuration by using DHCP.

What should you recommend? More than one answer choice may achieve the goal. Select the BEST answer.

A. Install a remote access server on each floor.

Configure a DHCP relay agent on each new DHCP server.

Create a scope for each subnet on DHCP1.

B. Install a DHCP server on each floor.

Create a scope for the local subnet on each new DHCP server.

Enable DHCP Failover on each new DHCP server.

C. Configure each router to forward requests for IP addresses to DHCP1.

Create a scope for each subnet on DHCP1.

D. Configure each router to forward requests for IP addresses to DHCP1.

Create a scope for the 10.0.0.0/16 subnet on DHCP1.

Answer: C Explanation:

http://technet.microsoft.com/en-us/library/cc771390.aspx

Excerpt: In TCP/IP networking, routers are used to interconnect hardware and software used on different physical network segments called subnets and forward IP packets between each of the subnets. To support and use DHCP service across multiple subnets, routers connecting each subnet should comply with DHCP/BOOTP relay agent capabilities described in RFC 1542.

QUESTION 46

You deploy an Active Directory domain named contoso.com to the network.

The domain is configured as an Active Directory-integrated zone.

All domain controllers run Windows Server 2012 and are DNS servers.

You plan to deploy a child domain named operations.contoso.com.

You need to recommend changes to the DNS infrastructure to ensure that users in the operations department can access the servers in the contoso.com domain.

What should you include in the recommendation?

- A. A zone delegation for _msdcs.contoso.com
- B. Changes to the replication scope of contoso.com
- C. Changes to the replication scope of _msdcs.contoso.com
- D. Changes to the replication scope of operations.contoso.com Answer:B

Answer: B

QUESTION 47

Your network contains an Active Directory domain named contoso.com.

The domain contains an IP Address Management (IPAM) server.


You plan to delegate the administration of IPAM as shown in the following table.

Department name	Requirement
Dept1 \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	View Paddress tracking information
Dept2	View IP address spaces
Dept3	Create an IP address block

You need to recommend which IPAM security group must be used for each department.

The solution must minimize the number of permissions assigned to each group.

What should you recommend? To answer, drag the appropriate group to the correct department in the answer area. Each group may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.



Answer:

Groups	Answer Area	
IPAM ASM Administrators	Dept1	IPAM IP Audit Administrators
IPAM IP Audit Adminish/d/lyhyhy\/,	⊫ agl2pa	DIPANFUSERS
IPAM MSM Administrators	Dept3	IPAM ASM Administrators
IPAM Users		

QUESTION 48

Your network contains an internal network and a perimeter network.

The internal network contains an Active Directory forest named contoso.com.

The forest contains a Microsoft Exchange Server 2010 organization.

All of the domain controllers in contoso.com run Windows Server 2012.

The perimeter network contains an Active Directory forest named litware.com.

You deploy Microsoft Forefront Unified Access Gateway (UAG) to litware.com.

All of the domain controllers in litware.com run Windows Server 2012.

Some users connect from outside the network to use Outlook Web App.

You need to ensure that external users can authenticate by using client certificates.

What should you do? More than one answer choice may achieve the goal. Select the BEST answer.

- A. Enable Kerberos constrained delegation in litware.com.
- B. To the perimeter network, add an Exchange server that has the Client Access server role installed.
- C. Enable Kerberos delegation in litware.com.
- D. Deploy UAG to contoso.com.

Answer: A

OUESTION 49


Your network contains an Active Directory domain named contoso.com.

You plan to implement multiple DHCP servers.


An administrator named Admin1 will authorize the DHCP servers.

You need to ensure that Admin1 can authorize the planned DHCP servers.

To which container should you assign Admin1 permissions? To answer, select the appropriate node in the answer area.



Answer:



Good news, Lead2pass has updated the 70-980 exam preparation material. With all the questions and answers in your hands, you will pass the Microsoft 70-980 exam easily. We make our promise that Lead2pass is your best choice.

www.lead2pass.com/70-980.html