Passed Cisco 350-018 Exam with Pass4sure and Lead2pass PDF & VCE (81-90)

OUESTION 81

Given the IPv4 address 10.10.100.16, which two addresses are valid IPv4-compatible IPv6 addresses? (Choose two.)

A. :::A:A:64:10

B. ::10:10:100:16

C. 0:0:0:0:0:10:10:100:16

D. 0:0:10:10:100:16:0:0:0

Answer: BC

QUESTION 82

What is the size of a point-to-point GRE header, and what is the protocol number at the IP layer?

- A. 8 bytes, and protocol number 74
- B. 4 bytes, and protocol number 47
- C. 2 bytes, and protocol number 71
- D. 24 bytes, and protocol number 1
- E. 8 bytes, and protocol number 47

Answer: B

OUESTION 83

When implementing WLAN security, what are three benefits of using the TKIP instead of WEP? (Choose three.)

- A. TKIP uses an advanced encryption scheme based on AES.
- B. TKIP provides authentication and integrity checking using CBC-MAC.
- C. TKIP provides per-packet keying and a rekeying mechanism.
- D. TKIP provides message integrity check.
- E. TKIP reduces WEP vulnerabilities by using a different hardware encryption chipset.
- F. TKIP uses a 48-bit initialization vector.

Answer: CDF

QUESTION 84

Which two statements about SHA are correct? (Choose two.)

- A. Five 32-bit variables are applied to the message to produce the 160-bit hash.
- B. The message is split into 64-bit blocks for processing.
- C. The message is split into 512-bit blocks for processing.
- D. SHA-2 and MD5 both consist of four rounds of processing.

Answer: AC

QUESTION 85

Which three statements about IKEv2 are correct? (Choose three.)

- INITIAL_CONTACT is used to synchronize state between peers.
- В. The IKEv2 standard defines a method for fragmenting large messages.
- The initial exchanges of IKEv2 consist of IKE_SA_INIT and IKE_AUTH.
- D. Rekeying IKE and child SAs is facilitated by the IKEv2 CREATE_CHILD_SA exchange.
- E. NAT-T is not supported.
- F. Attribute policy push (via the configuration payload) is only supported in REQUEST/REPLY mode.

Answer: ACD

QUESTION 86

Which three statements about LDAP are true? (Choose three.)

- A. LDAP uses UDP port 389 by default.
- B. LDAP is defined in terms of ASN.1 and transmitted using BER.
- C. LDAP is used for accessing X.500 directory services.
- D. An LDAP directory entry is uniquely identified by its DN.
- E. A secure connection via TLS is established via the UseTLS operation.

Answer: BCD

QUESTION 87

Which two EAP methods may be susceptible to offline dictionary attacks? (Choose two.)

- A. EAP-MD5
- B. LEAP
- C. PEAP with MS-CHAPv2
- D. EAP-FAST

Answer: AB

QUESTION 88

Which PKCS is invoked during IKE MM5 and MM6 when digital certificates are used as the authentication method?

- A. PKCS#7
- B. PKCS#10
- C. PKCS#13
- D. PKCS#11
- E. PKCS#3

Answer: A

QUESTION 89

Which mode of operation must be enabled on CSM to support roles such as Network Administrator, Approver, Network Operator, and Help Desk?

- A. Deployment Mode
- B. Activity Mode
- C. Workflow Mode
- D. User Roles Mode
- E. Administration Mode

This page was exported from - <u>Easily Pass By Training Lead2pass Latest Dumps</u> Export date: Fri Apr 19 20:40:02 2024 $\overline{/+0000~GMT}$

F. Network Mode

Answer: C

QUESTION 90

Which two ISE Probes would be required to distinguish accurately the difference between an iPad and a MacBook Pro? (Choose two.)

- A. DHCP or DHCPSPAN
- B. SNMPTRAP
- C. SNMPQUERY
- D. NESSUS
- E. HTTP
- F. DHCP TRAP

Answer: AE

If you want to pass Cisco 350-018 successfully, donot missing to read latest lead2pass Cisco 350-018 exam questions. If you can master all lead2pass questions you will able to pass 100% guaranteed.

http://www.lead2pass.com/350-018.html